

IAPMO OCEANIA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia /info@iapmooceania.org



CERTIFICATE OF CONFORMITY

IAPMO Oceania hereby grants to:

Atlas Filtri s.r.l

Via Pierobon, 32, Limena, PD 35010 Italy

Email: atlas@atlasfiltri.com

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;– Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceania's WaterMark Governance Rules.

Evaluated to:

AS 3497:2021

Drinking water treatment systems - Design and performance requirements

Manufacturer:

Refer to Licence Holder

Licence No.: WM-022909

First Certified: 07 Apr 2020

Certification Date: 27 Mar 2025

Expiry Date: 06 Apr 2025

David Viola
Chief Executive Officer of the IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO Oceania, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO Oceania. This certificate can only be reproduced in its entirety. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



WATERMARK CERTIFICATE OF CONFORMITY

SCHEDULE OF CERTIFIED PRODUCT



Certificate Holder
Atlas Filtri s.r.l

A.B.N.:
Via Pierobon, 32, Limena, PD 35010 Italy

Manufacturer
Refer to Licence Holder

Standard
AS 3497:2021

Drinking water treatment systems - Design and performance requirements

Licence No. WM-022909

Certification Date: 27 Mar 2025

Expiry Date: 06 Apr 2025

First Certified: 07 Apr 2020

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Rain Harvesting	TRIPLE ACTION FILTRATION SYSTEM 10" SLIM	WFRW11	Water filters and water treatment appliances	10" triple action filtration system (Slim)	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Rain Harvesting	TRIPLE ACTION FILTRATION SYSTEM 20" SLIM	WFRW12	Water filters and water treatment appliances	20" triple action filtration system (Slim)	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Rain Harvesting	TRIPLE ACTION FILTRATION SYSTEM 10" LARGE	WFRW13	Water filters and water treatment appliances	10" triple action filtration system (Large)	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	180 - 830 kPa	4 - 40°C	5700 l/hour MAX
Rain Harvesting	TRIPLE ACTION FILTRATION SYSTEM 20" LARGE	WFRW14	Water filters and water treatment appliances	20" triple action filtration system (Large)	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	180 - 830 kPa	4 - 40°C	5700 l/hour MAX
Rain Harvesting	WHOLE HOUSE TWO-STAGE FILTRATION SYSTEM 10" LARGE	WFRW21	Water filters and water treatment appliances	Whole house two stage filtration system	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	180 - 830 kPa	4 - 40°C	5700 l/hour MAX
Rain Harvesting	WHOLE HOUSE TWO-STAGE FILTRATION SYSTEM 20" LARGE	WFRW22	Water filters and water treatment appliances	Whole house two stage filtration system	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	180 - 830 kPa	4 - 40°C	5700 l/hour MAX
Rain Harvesting	WHOLE HOUSE SELF-CLEANING TWO-STAGE FILTRATION SYSTEM 10" SLIM	WFRW23	Water filters and water treatment appliances	10" Whole house self-cleaning two stage filtration system	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Rain Harvesting	WHOLE HOUSE SELF-CLEANING THREE-STAGE FILTRATION SYSTEM 10" SLIM	WFRW31	Water filters and water treatment appliances	10" Whole house self-cleaning three stage filtration system	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	180 - 830 kPa	4 - 40°C	5000 l/hour MAX

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Rain Harvesting	MULTI-ACTION FILTER CARTRIDGE 10" SLIM	WFRC11	Water filters and water treatment appliances	10" Multi-Action Filter Slim Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	4 - 40°C	240 l/hour
Rain Harvesting	MULTI-ACTION FILTER CARTRIDGE 20" SLIM	WFRC12	Water filters and water treatment appliances	20" Multi-Action Filter Slim Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	4 - 40°C	450 l/hour
Rain Harvesting	MULTI-ACTION FILTER CARTRIDGE 10" LARGE	WFRC13	Water filters and water treatment appliances	10" Multi-Action Filter Large Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	4 - 40°C	720 l/hour
Rain Harvesting	MULTI-ACTION FILTER CARTRIDGE 20" LARGE	WFRC14	Water filters and water treatment appliances	20" Multi-Action Filter Large Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	4 - 40°C	1620 l/hour
Rain Harvesting	TRIPLE ACTION GAC Filter cartridge 10" SLIM	WFRC21	Water filters and water treatment appliances	10" Triple Action GAC Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	4 - 40°C	600 l/hour
Rain Harvesting	TRIPLE ACTION GAC Filter cartridge 20" SLIM	WFRC22	Water filters and water treatment appliances	20" Triple Action GAC Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	4 - 40°C	1200 l/hour
Rain Harvesting	HEAVY-DUTY SEDIMENT CARTRIDGE 10" SLIM	WFRC31	Water filters and water treatment appliances	10" Heavy-Duty Sediment Cartridge (Slim)	Replacement cartridge	N/A	Particulate removal	N/A	4 - 40°C	2000 l/hour
Rain Harvesting	HEAVY-DUTY SEDIMENT CARTRIDGE 20" SLIM	WFRC32	Water filters and water treatment appliances	20" Heavy-Duty Sediment Cartridge (Slim)	Replacement cartridge	N/A	Particulate removal	N/A	4 - 40°C	3000 l/hour
Rain Harvesting	HEAVY-DUTY SEDIMENT CARTRIDGE 10" LARGE	WFRC33	Water filters and water treatment appliances	10" Heavy-Duty Sediment Cartridge (Large)	Replacement cartridge	N/A	Particulate removal	N/A	4 - 40°C	2500 l/hour
Rain Harvesting	HEAVY-DUTY SEDIMENT CARTRIDGE 20" LARGE	WFRC34	Water filters and water treatment appliances	20" Heavy-Duty Sediment Cartridge (Large)	Replacement cartridge	N/A	Particulate removal	N/A	4 - 40°C	4000 l/hour
Atlas Filtri	BIG F PRO	156	Water filters and water treatment appliances	10" twin stage filtration system with 56W UV lamp. Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	3240 l/hour
Atlas Filtri	BIG F PRO SANIC	156	Water filters and water treatment appliances	10" twin stage filtration system with 56W UV lamp. SANIC: with antimicrobial additive. Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, CPP BIG SANIC, FA BIG SANIC	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	3240 l/hour
Atlas Filtri	BIG F PRO	256	Water filters and water treatment appliances	20" twin stage filtration system with 56W UV lamp. Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	4200 l/hour
Atlas Filtri	BIG F PRO SANIC	256	Water filters and water treatment appliances	20" twin stage filtration system with 56W UV lamp. SANIC: with antimicrobial additive. Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, CPP BIG SANIC, FA BIG SANIC	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	4200 l/hour

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	BIG F PRO	267	Water filters and water treatment appliances	20" twin stage filtration system with 67W UV lamp. Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	5700 l/hour
Atlas Filtri	BIG F PRO SANIC	267	Water filters and water treatment appliances	20" twin stage filtration system with 67W UV lamp. SANIC: with antimicrobial additive. Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, CPP BIG SANIC, FA BIG SANIC	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	5700 l/hour
Atlas Filtri	HYDRA BIG F PRO	256 **	Water filters and water treatment appliances	20" three stage self cleaning filtration system with 56W UV lamp. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	4200 l/hour
Atlas Filtri	HYDRA BIG F PRO	267 **	Water filters and water treatment appliances	20" three stage self cleaning filtration system with 67W UV lamp. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	5700 l/hour
Atlas Filtri	HYDRA BIG F PRO SANIC	256 **	Water filters and water treatment appliances	20" three stage self cleaning filtration system with 56W UV lamp. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, CPP BIG SANIC, FA BIG SANIC	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	4200 l/hour
Atlas Filtri	HYDRA BIG F PRO SANIC	267 **	Water filters and water treatment appliances	20" three stage self cleaning filtration system with 67W UV lamp. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, CPP BIG SANIC, FA BIG SANIC	POE filter system	1" BSP (plastic or brass)	Category III - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	5700 l/hour
Atlas Filtri	N/A	TS 10 BIG SX cartridge	Water filters and water treatment appliances	10" replacement cartridge - Pleated	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	3240 l/hour
Atlas Filtri	N/A	CPP 10 BIG SX cartridge	Water filters and water treatment appliances	10" replacement cartridge - Polyspun meltblown	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	3240 l/hour
Atlas Filtri	N/A	CPP 10 BIG SANIC SX cartridge	Water filters and water treatment appliances	10" replacement cartridge - Polyspun meltblown. SANIC: with antimicrobial additive.	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	3240 l/hour
Atlas Filtri	N/A	TS 20 BIG SX Cartridge	Water filters and water treatment appliances	20" replacement cartridge - Pleated	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	5700 l/hour
Atlas Filtri	N/A	CPP 20 BIG SX cartridge	Water filters and water treatment appliances	20" replacement cartridge - Polyspun meltblown	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	5700 l/hour
Atlas Filtri	N/A	CPP 20 BIG SANIC SX cartridge	Water filters and water treatment appliances	20" replacement cartridge - Polyspun meltblown. SANIC: with antimicrobial additive.	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	5700 l/hour
Atlas Filtri	N/A	CB EC 10	Water filters and water treatment appliances	Carbon block cartridge - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Category III, IV, V	N/A	4 - 40°C	240 l/hour
Atlas Filtri	N/A	CB EC 20	Water filters and water treatment appliances	Carbon block cartridge - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Category III, IV, V	N/A	4 - 40°C	450 l/hour

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	InletOutlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	CB EC 10 BIG	Water filters and water treatment appliances	Carbon block cartridge - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Category III, IV, V	N/A	4 - 40°C	720 l/hour
Atlas Filtri	N/A	CB EC 20 BIG	Water filters and water treatment appliances	Carbon block cartridge - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Category III, IV, V	N/A	4 - 40°C	1620 l/hour
Atlas Filtri	N/A	FA 10 CA	Water filters and water treatment appliances	Granular carbon and PP yarn layer - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Category III, IV, V	N/A	4 - 40°C	600 l/hour
Atlas Filtri	N/A	FA 20 CA	Water filters and water treatment appliances	Granular carbon and PP yarn layer - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Category III, IV, V	N/A	4 - 40°C	1200 l/hour
Atlas Filtri	N/A	FA 10	Water filters and water treatment appliances	PP yarn layer - Sediment reduction	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	2000 l/hour
Atlas Filtri	N/A	FA 20	Water filters and water treatment appliances	PP yarn layer - Sediment reduction	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	3000 l/hour
Atlas Filtri	N/A	CPP 10 SANIC	Water filters and water treatment appliances	Polyspun meltblown - Sediment reduction. SANIC: with antimicrobial additive.	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	2000 l/hour
Atlas Filtri	N/A	CPP 20 SANIC	Water filters and water treatment appliances	Polyspun meltblown - Sediment reduction. SANIC: with antimicrobial additive.	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	3000 l/hour
Atlas Filtri	N/A	FA 10 SANIC	Water filters and water treatment appliances	PP yarn layer - Sediment reduction. SANIC: with antimicrobial additive.	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	2000 l/hour
Atlas Filtri	N/A	FA 20 SANIC	Water filters and water treatment appliances	PP yarn layer - Sediment reduction. SANIC: with antimicrobial additive.	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	3000 l/hour
Atlas Filtri	N/A	FA 10 BIG	Water filters and water treatment appliances	PP yarn layer - Sediment reduction	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	2500 l/hour
Atlas Filtri	N/A	FA 20 BIG	Water filters and water treatment appliances	PP yarn layer - Sediment reduction	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	4000 l/hour
Atlas Filtri	N/A	FA 10 BIG SANIC	Water filters and water treatment appliances	PP yarn layer - Sediment reduction. SANIC: with antimicrobial additive.	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	2500 l/hour
Atlas Filtri	N/A	FA 20 BIG SANIC	Water filters and water treatment appliances	PP yarn layer - Sediment reduction. SANIC: with antimicrobial additive.	Replacement cartridge	N/A	Category III	N/A	4 - 40°C	4000 l/hour
Atlas Filtri	N/A	HYDRA RAH IN **	Water filters and water treatment appliances	7"x2,5" single stage self cleaning filtration unit with RAH cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH	POE filter system	3/4" - 1" BSP (plastic)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA M RAH IN **	Water filters and water treatment appliances	7"x2,5" single stage self cleaning filtration unit with RAH cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH	POE filter system	3/4" - 1" BSP (plastic)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA RAH OT **	Water filters and water treatment appliances	7"x2,5" single stage self cleaning filtration unit with RAH cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH	POE filter system	3/4" - 1" BSP (brass)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	HYDRA M RAH OT **	Water filters and water treatment appliances	7"x2,5" single stage self cleaning filtration unit with RAH cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH	POE filter system	3/4" - 1" BSP (brass)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA DUO RAH IN **	Water filters and water treatment appliances	10"/20"x2,5" two stage self cleaning filtration unit with RAH cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC, FA, FA CA	POE filter system	3/4" - 1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA M DUO RAH IN **	Water filters and water treatment appliances	10"/20"x2,5" two stage self cleaning filtration unit with RAH cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC, FA, FA CA	POE filter system	3/4" - 1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA DUO RAH OT **	Water filters and water treatment appliances	10"/20"x2,5" two stage self cleaning filtration unit with RAH cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC, FA, FA CA	POE filter system	3/4" - 1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA M DUO RAH OT **	Water filters and water treatment appliances	10"/20"x2,5" two stage self cleaning filtration unit with RAH cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC, FA, FA CA	POE filter system	3/4" - 1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA TRIO RAH IN **	Water filters and water treatment appliances	10"/20"x2,5" three stage self cleaning filtration unit with RAH cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	3/4" - 1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA M TRIO RAH IN **	Water filters and water treatment appliances	10"/20"x2,5" three stage self cleaning filtration unit with RAH cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	3/4" - 1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA TRIO RAH OT **	Water filters and water treatment appliances	10"/20"x2,5" three stage self cleaning filtration unit with RAH cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	3/4" - 1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA M TRIO RAH OT **	Water filters and water treatment appliances	10"/20"x2,5" three stage self cleaning filtration unit with RAH cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	3/4" - 1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	HYDRA BIG RAH IN **	Water filters and water treatment appliances	10"x4,5" single stage self cleaning filtration unit with RAH BIG cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH BIG	POE filter system	1" BSP (plastic)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA BIG RAH IN SANIC **	Water filters and water treatment appliances	10"x4,5" single stage self cleaning filtration unit with RAH BIG cartridge. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH BIG	POE filter system	1" BSP (plastic)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA BIG M RAH IN **	Water filters and water treatment appliances	10"x4,5" single stage self cleaning filtration unit with RAH BIG cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH BIG	POE filter system	1" BSP (plastic)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA BIG PS PM RAH IN **	Water filters and water treatment appliances	10"x4,5" single stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH BIG	POE filter system	1" BSP (plastic)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA BIG PS PM RAH IN SANIC **	Water filters and water treatment appliances	10"x4,5" single stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH BIG	POE filter system	1" BSP (plastic)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA BIG RAH OT **	Water filters and water treatment appliances	10"x4,5" single stage self cleaning filtration unit with RAH BIG cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH BIG	POE filter system	1" BSP (brass)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA BIG M RAH OT **	Water filters and water treatment appliances	10"x4,5" single stage self cleaning filtration unit with RAH BIG cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH BIG	POE filter system	1" BSP (brass)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA BIG PS PM RAH OT **	Water filters and water treatment appliances	10"x4,5" single stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: RAH BIG	POE filter system	1" BSP (brass)	Category VI	180 - 830 kPa	4 - 40°C	5000 l/hour MAX

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	HYDRA BIG DUO RAH IN **	Water filters and water treatment appliances	10"/20"x4,5" two stage self cleaning filtration unit with RAH BIG cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG DUO RAH IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" two stage self cleaning filtration unit with RAH BIG cartridge. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC, CB EC BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG M DUO RAH IN **	Water filters and water treatment appliances	10"/20"x4,5" two stage self cleaning filtration unit with RAH BIG cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG PS PM DUO RAH IN **	Water filters and water treatment appliances	10"/20"x4,5" two stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG PS PM DUO RAH IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" two stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC, CB EC BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG DUO RAH OT **	Water filters and water treatment appliances	10"/20"x4,5" two stage self cleaning filtration unit with RAH BIG cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG M DUO RAH OT **	Water filters and water treatment appliances	10"/20"x4,5" two stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	HYDRA BIG PS PM DUO RAH OT **	Water filters and water treatment appliances	10"/20"x4,5" two stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG TRIO RAH IN **	Water filters and water treatment appliances	10"/20"x4,5" three stage self cleaning filtration unit with RAH BIG cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG TRIO RAH IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" three stage self cleaning filtration unit with RAH BIG cartridge. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG M TRIO RAH IN **	Water filters and water treatment appliances	10"/20"x4,5" three stage self cleaning filtration unit with RAH BIG cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG PS PM TRIO RAH IN **	Water filters and water treatment appliances	10"/20"x4,5" three stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG PS PM TRIO RAH IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" three stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG TRIO RAH OT **	Water filters and water treatment appliances	10"/20"x4,5" three stage self cleaning filtration unit with RAH BIG cartridge. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	InletOutlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	HYDRA BIG M TRIO RAH OT **	Water filters and water treatment appliances	10"/20"x4,5" three stage self cleaning filtration unit with RAH BIG cartridge. M: Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	HYDRA BIG PS PM TRIO RAH OT **	Water filters and water treatment appliances	10"/20"x4,5" three stage self cleaning filtration unit with RAH BIG cartridge. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V, VI - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP MONO IN **	Water filters and water treatment appliances	10"/20"x2,5" single stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP MONO IN SANIC **	Water filters and water treatment appliances	10"/20"x2,5" single stage filtration unit. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP SANIC, FA SANIC	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP S M MONO IN **	Water filters and water treatment appliances	10"/20"x2,5" single stage filtration unit. S M: Discharge and Manometer (could be present only one). **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP S M MONO IN SANIC **	Water filters and water treatment appliances	10"/20"x2,5" single stage filtration unit. S M: Discharge and Manometer (could be present only one). SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP SANIC, FA SANIC	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP MONO OT **	Water filters and water treatment appliances	10"/20"x2,5" single stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP S M MONO OT **	Water filters and water treatment appliances	10"/20"x2,5" single stage filtration unit. S M: Discharge and Manometer (could be present only one). **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP DUO IN **	Water filters and water treatment appliances	10"/20"x2,5" two stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	DP DUO IN SANIC **	Water filters and water treatment appliances	10"/20"x2,5" two stage filtration unit. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP SANIC, FA SANIC, TS, CB EC, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP S M DUO IN **	Water filters and water treatment appliances	10"/20"x2,5" two stage filtration unit. S M: Discharge and Manometer (could be present only one). **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP S M DUO IN SANIC **	Water filters and water treatment appliances	10"/20"x2,5" two stage filtration unit. S M: Discharge and Manometer (could be present only one). SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP SANIC, FA SANIC, TS, CB EC, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP DUO OT **	Water filters and water treatment appliances	10"/20"x2,5" two stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP S M DUO OT **	Water filters and water treatment appliances	10"/20"x2,5" two stage filtration unit. S M: Discharge and Manometer (could be present only one). **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP TRIO IN **	Water filters and water treatment appliances	10"/20"x2,5" three stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP TRIO IN SANIC **	Water filters and water treatment appliances	10"/20"x2,5" three stage filtration unit. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP SANIC, FA SANIC, TS, CB EC, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP S M TRIO IN **	Water filters and water treatment appliances	10"/20"x2,5" three stage filtration unit. S M: Discharge and Manometer (could be present only one). **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	DP S M TRIO IN SANIC **	Water filters and water treatment appliances	10"/20"x2,5" three stage filtration unit. S M: Discharge and Manometer (could be present only one). SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP SANIC, FA SANIC, TS, CB EC, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP TRIO OT **	Water filters and water treatment appliances	10"/20"x2,5" three stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP S M TRIO OT **	Water filters and water treatment appliances	10"/20"x2,5" three stage filtration unit. S M: Discharge and Manometer (could be present only one). **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP, TS, CB EC, FA, FA CA	POE filter system	1/4" - 3/8" - 1/2" - 3/4" - 1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG Mono IN **	Water filters and water treatment appliances	10"/20"x4,5" single stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG Mono IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" single stage filtration unit. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG PS PM Mono IN **	Water filters and water treatment appliances	10"/20"x4,5" single stage filtration unit. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG PS PM Mono IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" single stage filtration unit. PS PM: Predisposition for Discharge and Manometer. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG Mono OT **	Water filters and water treatment appliances	10"/20"x4,5" single stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	DP BIG PS PM Mono OT **	Water filters and water treatment appliances	10"/20"x4,5" single stage filtration unit. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG Duo IN **	Water filters and water treatment appliances	10"/20"x4,5" two stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG Duo IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" two stage filtration unit. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG PS PM Duo IN **	Water filters and water treatment appliances	10"/20"x4,5" two stage filtration unit. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG PS PM Duo IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" two stage filtration unit. PS PM: Predisposition for Discharge and Manometer. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG Duo OT **	Water filters and water treatment appliances	10"/20"x4,5" two stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG PS PM Duo OT **	Water filters and water treatment appliances	10"/20"x4,5" two stage filtration unit. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG Trio IN **	Water filters and water treatment appliances	10"/20"x4,5" three stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	DP BIG Trio IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" three stage filtration unit. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG PS PM Trio IN **	Water filters and water treatment appliances	10"/20"x4,5" three stage filtration unit. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG PS PM Trio IN SANIC **	Water filters and water treatment appliances	10"/20"x4,5" three stage filtration unit. PS PM: Predisposition for Discharge and Manometer. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG SANIC, FA BIG SANIC, TS BIG, CB EC BIG	POE filter system	1" BSP (plastic)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG Trio OT **	Water filters and water treatment appliances	10"/20"x4,5" three stage filtration unit. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	DP BIG PS PM Trio OT **	Water filters and water treatment appliances	10"/20"x4,5" three stage filtration unit. PS PM: Predisposition for Discharge and Manometer. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP BIG, TS BIG, CB EC BIG, FA BIG	POE filter system	1" BSP (brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	MEDIUM PLUS 3P **	Water filters and water treatment appliances	5" x2,5" filtration unit VOC, CTO and sediment reduction.**colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: FA, FA CA, CB EC	POE filter system	3/4" BSP (plastic or brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	SENIOR PLUS 3P **	Water filters and water treatment appliances	10" x2,5" filtration unit VOC, CTO and sediment reduction.**colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: FA, FA CA, CB EC	POE filter system	3/4" BSP (plastic or brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	MASTER PLUS 3P **	Water filters and water treatment appliances	20" x2,5" filtration unit VOC, CTO and sediment reduction.**colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: FA, FA CA, CB EC	POE filter system	3/4" BSP (plastic or brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Category	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	SENIOR PLUS 3P SANIC **	Water filters and water treatment appliances	10" x2,5" filtration unit VOC, CTO and sediment reduction. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP SANIC, FA SANIC	POE filter system	3/4" BSP (plastic or brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	MASTER PLUS 3P SANIC **	Water filters and water treatment appliances	20" x2,5" filtration unit VOC, CTO and sediment reduction. SANIC: with antimicrobial additive. **colour: AB (blue) / TS (transparent) / BW (white). Compatible cartridge/s: CPP SANIC, FA SANIC	POE filter system	3/4" BSP (plastic or brass)	Category III, IV, V - refer PDS for compatible cartridge	180 - 830 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	OASIS DP STD	Water filters and water treatment appliances	OASIS without dispensing faucet. Compatible cartridges: CPP 10, LA 10 SX TS, CB EC 10	POU filter system	1/2" BSP connector / PE tube outlet	Category IV, V - refer PDS for compatible cartridge	300 - 600 kPa	4 - 40°C	Refer PDS
Atlas Filtri	N/A	OASIS DP PUMP	Water filters and water treatment appliances	OASIS without dispensing faucet. Booster pump. Compatible cartridges: CPP 10, LA 10 SX TS, CB EC 10	POU filter system	1/2" BSP connector / PE tube outlet	Category IV, V - refer PDS for compatible cartridge	100 - 600 kPa	4 - 40°C	Refer PDS

END RECORD

END RECORD



David Viola
Chief Executive Officer of the IAPMO Group